

**OFFICIAL NOTICE
ADVERTISEMENT FOR BIDS**

Notice is hereby given by the **Town of Fox Lake** of Dodge County, Wisconsin, that it will receive sealed bids for 2015 Road Work on Brave Road and Blackhawk Trail within the Town of Fox Lake until 3:00PM, local time on the 7th day of February, 2015, in the office of Town Hall located at W10543 County Road F of Fox Lake, Wisconsin. Bids will be publicly opened and read at that time and date.

Estimate of Major Quantities

Pulverizing (13,441 SY)
Hot Mix Asphalt (1,576 Tons)

Contract documents may be examined by contacting Town Clerk/Treasurer Mason Zantow and submitting request via phone (920)763-7910(cell)/(920)928-3573(office) or email townclerk@townoffoxlake.org. All bids must be submitted by mail Town of Fox Lake, ATTN: 2015 Road Work Bids, PO Box 124, Fox Lake, WI 53933 and received no later than the deadline published above.

The owner reserves the right to reject any or all bids.

The contractor shall be pre-qualified by the Wisconsin Department of Transportation to perform the work in this bid.

A letting of the work described herein is subject to the provisions of Section 66.293 Wis. Stats. and the laws and ordinances of the Town of Fox Lake of Dodge County relating to wage rates payable on the work.

Published January 29, 2015 & January 31, 2015, February 2, 2015
Mason Zantow, Town Clerk/Treasurer

SPECIFICATIONS

General

The **Town of Fox Lake**, the issuer of this bid proposal, shall hereinafter be referred to as "the owner".

Insurance

The contractor shall furnish and deliver to the owner a certificate of insurance for worker's compensations and an umbrella certificate of liability and property insurance in the minimum amount of three million dollars before beginning work and shall notify the owner immediately of any cancellation or change in insurance coverage.

Traffic Control

The contractor will be responsible for all traffic control, including furnishing and maintaining all signs, flags, flag-persons, batTicades and lights where required, to protect the safety of the traveling public, all in accordance with the **FEDERAL HIGHWAY ADMINISTRATION AND WISCONSIN DEPARTMENT OF TRANSPORTATION Manual on Uniform Traffic Control Devices**, 1988 edition and its supplements. All work will be done under traffic unless otherwise directed by the owner.

Completion

All work is to be completed prior to October 15.

ASPHALT CONCRETE

Construction Procedures

Production

The contractor shall provide adequate trucks and paving train equipment to assure a continuous paving operation and avoid frequent delays.

After the asphaltic concrete paving has started, the contractor shall proceed to complete the project at the earliest possible date. If the contractor should determine it necessary to stop the paving operation, the contractor shall make a request to the owner for permission to stop work.

Asphaltic Concrete Pavement Materials

The asphalt cement shall be performance graded **PG 58-28**. The contractor shall provide a current mix design that will be used on the project.

Asphaltic Concrete Basis of Payment When by the Ton

An asphaltic pavement mixture of the type or types included in the contract shall be measured by the ton of mixed aggregates and bituminous material laid and compacted in place. The price shall be full compensation for producing, furnishing, and placing all materials including asphalt cement, and for all labor, tools, equipment, testing and incidentals necessary to complete the work.

Payment will be made only for supplied material accompanied by a ticket containing the following information.

1. Ticket number, date and time
2. Type of material
3. Net weight

Copies of the tickets shall be given to the owner. Load tickets must be from a certified scale.

CRUSHED AGGREGATE BASE COURSE

Crushed Aggregate Base Course or Shoulders

- A. This item shall consist of supplying, placement and compaction of a dense compacted base course composed of one or more courses or layers of course aggregate, either crushed gravel or crushed stone, fine aggregate and binder or filler blended as necessary to produce an intimate mixture of the required gradation and stability, constructed on the prepared foundation in accordance with the specifications and in reasonably close conformity with the lines, grades, thicknesses and typical cross sections shown on the plans or established by the Owner.
- B. Crushed aggregate shall be in conformance with Section 304 of WisDOT Standard Specifications, 2011 Edition. Materials shall conform to gradation No. 2 or 3.
- C. Basis of payment shall be the contract unit price per Ton for crushed aggregate base course.
- D. All base course must have weight tickets from a certified scale.

PULVERIZE AND RELAY ASPHALTIC PAVEMENT & BASE COURSE

- A This work shall consist of constructing base course utilizing in-place pulverizing and relaying of the existing asphaltic surface and base course over the roadbed as shown on the plans and as hereinafter provided.
- B. The existing asphaltic surface shall be pulverized full depth (4) inches and to a minimum of 97 percent passing a 2-inch screen. The existing crushed aggregate base course shall also be pulverized to the depth shown on the plans (or as directed by owner) and mixed with the asphaltic material.

Immediately after pulverizing, the material shall be placed to the specified width as shown in the bid documents or as direct by the owner. The laydown shall be accomplished using a grader.

The relayed material shall be immediately compacted in the following sequence: first with either a rubber tired roller or vibratory pads foot roller, and second with a vibratory steel roller. Water shall be added prior to and during compaction as required. Each layer shall be compacted tot he extent required for Standard Compaction in Section 304.5 of the standard specifications. The compaction equipment shall be as follows:

For a compacted depth of pulverized materials, up to 6-inches, compaction equipment shall be in accordance with section 304.4 of the standard specifications.

For a compacted depth of pulverized material, greater than 6-inches and up to 8-inches, a minimum 25 ton rubber tired roller with 90 psi tire pressure or 25,000 lb. Pads foot vibratory roller, and a minimum 8 ton vibratory steel roller shall be used.

For compacted depths greater than 8-inches, split lift compaction according to the above described methods will be required.

At the completion of each working day, the ends of the pulverize and relay asphaltic pavement and base course shall be as adjacent as practical by both traffic lanes.

- C. Method of Measurement. Pulverize and relay asphaltic pavement and base course will be measured by the square yard of relayed material according to the finished typical section width and details shown on the plans.
- D. Pulverize and relay asphaltic pavement and base course, will be paid at the contract unit price per square yard with price shall be full compensation for pulverizing, windrowing, relaying, adding water, compaction and all labor, tools equipment and incidentals necessary to complete the work in accordance with the contract.

PROPOSAL

Submitted by the undersigned bidder to the **Town of Fox Lake, Wisconsin** in accordance with the advertisement inviting proposal, which will be received until 3:00 PM., local time on the 7th day of February, 2015 to furnish and deliver all materials, and to do and perform all work for **2015 Roadwork projects** designated in accordance with the Contract Documents.

The undersigned bidder, if awarded the contract, agrees to complete the work prior to October 15, 2015.

The undersigned bidder, submitting this proposal, hereby declares and agrees to be bound, and to perform the work in accordance with all terms, conditions and requirements of the within and foregoing proposal, the contract, the applicable specifications, the special provisions and the advertisement for bid are made a part hereof as fully and completely as if attached hereto.

PROPOSAL, submitted by _____ BIDDER
of _____
(Sole Owner, Co-Partnership or Corporation)

By _____
Bidder must sign on this line.

If Corporation answer the following:
Incorporated under laws of what State Wisconsin

ADDRESS _____

PHONE _____

BID SCHEDULE

Brave Rd – (Lake Emily – CTH F) (5,280' x 22')

| | | | |
|---------------------------------|-----------|----------|----------|
| Pulverize/Fine Grade | 1 LS | \$ _____ | \$ _____ |
| | | _____ | |
| | | Per LS | |
| 2" Hot Mix Asphalt (12.Smm Mix) | 1,485 Ton | \$ _____ | \$ _____ |
| | | _____ | |
| | | Per Ton | |
| TOTAL BID | | | \$ _____ |

Blackhawk Trail (200' x 24')

| | | | |
|---------------------------------|--------|----------|----------|
| Pulverize/Fine Grade | 1 LS | \$ _____ | \$ _____ |
| | | _____ | |
| | | Per LS | |
| 3" Hot Mix Asphalt (12.Smm Mix) | 91 Ton | \$ _____ | \$ _____ |
| | | _____ | |
| | | Per Ton | |
| TOTAL BID | | | \$ _____ |

Notes:

- 1) Asphalt to be paved using a self propelled transfer machine with tandem paving operation.
- 2) Pulverizing to be performed by 4/30/15.
- 3) Contractor is to install asphalt no sooner than 2 weeks and no later than 6 weeks from date of pulverizing.
- 4) Contractor to maintain grade during period between pulverizing & paving (minimum touch up grading once per week).
- 5) Contractor to coordinate gravel life placement with gravel contractor (gravel under separate contract).
- 6) Traffic control shall be incidental to all work performed.
- 7) Payment is by the unit price and final payment to be based upon actual quantity installed.

I HEREBY CERTIFY that all statements herein are made in behalf of _____

(Name of firm submitting bid)

of the City of _____, State of _____

and that I have examined and carefully prepared this Proposal form the Contract Document, and I have checked the same in detail before submitting this Proposal, that I Have fully authority to make such statements and submit this Proposal in (its) (their) Behalf, and that said statements are true and correct.

I FURTHER CERTIFY that no agreement has been entered into to prevent competition for said work and that I have carefully examined the site where the work is to take place, Specifications, form of contract, bonds and all contract documents.

I FURTHER CERTIFY that data sheets and descriptive literature attached hereto are true and correct and are intended to be made part of this Proposal.

Signature

Title

Sworn and subscribed to before me
This _____ day of _____
20_____

Notary Public

My commission expires _____

NOTICE OF AWARD

To: _____

PROJECT Description: ***Brave Road***

The OWNER has considered the BID submitted by you for the above described WORK in response to its Advertisement for Bids date _____, 20__, and information for Bidders.

You are hereby notified that your BID has been accepted for items in the amount of \$ _____

You are required by the Information for Bidders to execute the Agreement and furnish the required CONTRACTOR'S certificates of insurance within ten (10) calendar days from the date of this Notice to you.

If you fail to execute said Agreement and to furnish said Certificate of Insurance within ten (10) days from the date of this Notice, said OWNER will be entitled to consider all your rights arising out of the OWNER'S acceptance of your BID as abandoned and as a forfeiture of your BID BOND. The OWNER will be entitled to such other rights as may be granted by law.

You are required to return an acknowledged copy of this NOTICE OF AWARD to the Owner. Dated this _____ day of _____, 20____

Owner

By _____

Title _____

ACCEPTANCE OF NOTICE

Receipt of the above NOTICE OF AWARD is hereby acknowledged

By _____

This the _____ day of _____, 20____

By _____

Title _____

NOTICE OF AWARD

To: _____

PROJECT Description: Blackhawk Trail

The OWNER has considered the BID submitted by you for the above described WORK in response to its Advertisement for Bids date _____, 20__, and information for Bidders.

You are hereby notified that your BID has been accepted for items in the amount of \$ _____

You are required by the Information for Bidders to execute the Agreement and furnish the required CONTRACTOR'S certificates of Insurance within ten (10) calendar days from the date of this Notice to you.

I you fail to execute said Agreement and to furnish said Certificate of Insurance within ten (10) days from the date of this Notice, said OWNER will be entitled to consider all your rights arising out of the OWNER'S acceptance of your BID as abandoned and as a forfeiture of your BID BOND. The OWNER will be entitled to such other rights as may be granted by law.

You are required to return an acknowledged copy of this NOTICE OF AWARD to the Owner. Dated this _____ day of _____, 20_____

Owner

By _____

Title _____

ACCEPTANCE OF NOTICE

Receipt of the above NOTICE OF AWARD is hereby acknowledged

By _____

This the _____ day of _____, 20_____

By _____

Title _____

AGREEMENT

THIS AGREEMENT, made this _____ day of _____, 20____ by and

Between _____, hereinafter called "OWNER" AND
(Name of Owner)

_____, doing business as an Individual or
(Name of Contractor)

a Partnership or a Corporation hereinafter called "CONTRACTOR".

WITNESSETH: That for and in consideration of the payments and agreements hereinafter mentioned:

1. The CONTRACTOR will commence and complete the construction of _____
2. The CONTRACTOR will furnish all of the material, supplies, tools, equipment, labor and other services necessary for the construction and completion of the PROJECT described herein.
3. The CONTRACTOR will complete the work required by the CONTRACT DOCUMENTS prior to October 15, 20____ unless extended otherwise by the CONTRACT DOCUMENTS.
4. The CONTRACTOR agrees to perform all of the WORK described in the CONTRACT DOCUMENTS and comply with the terms therein for the sum of \$_____, as shown in the BID schedule.
5. The term "CONTRACT DOCUMENTS" means and includes the following:
 - A. Advertisement for BIDS
 - B. Specifications
 - C. BID Proposal
 - D. Notice of Award
 - E. Agreement
 - F. Change Order

6. The OWNER will pay the contractor as work progresses in the manner and at such times as set forth in the CONTRACT DOCUMENTS. The owner will retain 5% until final project acceptance.
7. This Agreement shall be binding upon all parties hereto and their respective heirs, executors, successors, and assigns. IN WITNESS WHEREOF, the parties hereto executed or caused to be executed by their duly authorized officials, this Agreement in _____ each of which shall be deemed _____ Number of Copies an original on the date first above written.

OWNER:

By _____

Name _____
(Please Type)

Title _____

(SEAL)
ATTEST:

Name _____
(Please Type)

Title _____

CONTRACTOR:

By _____

Name _____
(Please Type)

Address _____

(SEAL)
ATTEST:

Name _____
(Please Type)

Title _____

CHANGE ORDER

Order No. _____

Date: ____

Agreement Date: ____

NAME OF PROJECT: _____

OWNER: _____

CONTRACTOR: _____

The following changes are hereby made to the CONTRACT DOCUMENTS:

Justification:

Change to CONTRACT PRICE:

Original CONTRACT PRICE: \$ _____

Current CONTRACT PRICE adjusted by previous CHANGE ORDER \$ _____

The CONTRACT PRICE due to this CHANGE ORDER will be (increased) (decreased)

By: \$ _____

The new CONTRACT PRICE including this CHANGE ORDER will be \$ _____

Change to CONTRACT TIME:

The date for completion of all work will be _____ (Date).

Approvals Required:

Requested by: _____

Recommended by: _____

Ordered by: _____

Accepted by: _____